







Within months of the announcement of its launch, our tractor of a new era was already receiving the highest honours. The MF 8S was presented with the prestigious Tractor of the Year 2021 title, the Red Dot Award: Product Design 2021, AE50

## MF 8S - A NEW ERA

for Straightforward and Dependable tractors

"Much more than just a tractor, the MF 8S Series provides an enhanced operator's experience. It encompasses the style of tomorrow and the uniqueness of Massey Ferguson"

Vice-President & Managing Director Massey Ferguson Europe & Middle East

farming solution designed to offer enhanced user and smart farming technology.

To meet the demands of modern and sustainable offering a comprehensive range of fully connected services to help you manage your business more efficiently. This personalised experience starts with the user considering the purchase and lasts through its entire dependable lifetime.

The MF 8S is a 100% connected tractor that enters in a new era of proactive and predictive support.

The exciting new MF 8S Series heralds a completely 
Its advanced connectivity ensures that drivers are new era for Massey Ferguson. It provides a complete always in contact with their farm, their fleet, their Massey Ferguson dealer and experts, so that you are experience encompassing the benefits of connectivity never alone in the fields and operate in a sustainable and efficient manner at all times.

It also unlocks a whole range of innovative services farming Massey Ferguson combines state-of-the-art tailored to your needs and, developed to keep your machinery with a whole new level of cab environment tractor running, operates at its best, maximising your fleet's efficiency.

> It is a tractor ahead of its time which outperforms on comfort, connectivity, ease of use, power efficiency, output, low cost of operation offering top reliability for fully maximised uptime and best return on



efficiency transmitting maximum power to the ground,

demanding implements.

100% connectivity and the ability to work with the most

MADE TO MAXIMISE UPTIME

Made to Maximise Uptime – A new Era of services & Customer support..... Make the MF 8S as individual as your farm –

## MADE BY **DESIGN**

EXCLUSIVE MF PROTECT-U DESIGN - ENGINE & CAB INSTALLATION DESIGN PROVIDES VISIBILITY, COMFORT, EFFICIENCY AND ULTIMATE PERFORMANCE

FERGUSON

The beauty of the MF Protect-U design, with a 24 cm gap between the engine and the cab, is what makes this tractor so disruptive and unique. Protecting and giving ultimate front visibility and comfort for the operator. Having the engine fully encapsulated and isolated from the cab reduces noise and vibration inside to only 68 dB! It also contributes to heat insulation for the cab while improving engine cooling capacity and efficiency, maximising uptime. The cab, together with the wasp-waisted bonnet, the inclined windscreen bending toward the front, offers ultimate all round unequalled visibility, space and comfort.

## THE **PROTECT-U** DESIGN

The encapsulated engine contributes to ultimate engine performance improving cooling capacities by always getting fresh air.



## OUR PAST FUELS OUR FUTURE

The new MF 8S Series combines radical design with a practical purpose. The striking 'neo-retro' design pays tribute to the brand's legacy, illustrated by a new interpretation of the iconic MF grey sabre stripe on the side and horse head collar motif on the bonnet, which dates back to the MF 100 and MF 3000 series.



OUR PAST...



...FUELS OUR FUTURE

- Quiet cab with a noise level of only 68dB offering 360° visibility
- ► Cab and front axle suspension improves driving comfort while the new MF vDisplay Digital dashboard provides all needed information at a glance
- ▶ The new armrest offers best-in-class control of all the tractor's operations

## **YOUR MF 8S** AT A GLANCE

Your MF 8S is a tractor ahead of its time which outperforms on comfort, connectivity, ease of use, power efficiency, output, low cost of operation offering top reliability for fully maximised uptime and best return on investment.

- Engine efficiency max power and torque at low engine revs cuts fuel consumption by 10% and reduces noise level
  - Automatic valve clearance setting
  - Easy access to daily maintenance
- MFCare Repair and maintenance contract schemes

#### WITH SIX MODELS TO CHOOSE FROM. THIS IS ONE OF THE BEST CHOICES THAT YOU WILL MAKE

	MF 8S.205	MF 8S.225	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305	
Engine		AGCO P	ower – Stage V	– All-in-One tec	hnology		
Engine capacity	6 cylinder, 7.4 litre						
Transmission	Dyna E-Power Dual Clutch / Dyna-7 / Dyna-VT Dyna-VT						
Max. power @ 1,850rpm	205hp	225hp	245hp	265hp	285hp	305hp	
Max. power EPM	225hp	245hp	265hp	285hp	305hp	N/A	
Maximum torque @ 1,000 - 1,500 rpm	950Nm	1,000Nm	1,100Nm	1,200Nm	1,260Nm	1,280Nm	



- ▶ 9" touchscreen terminal created to provide a more intuitive and precise farming experience
- ▶ New MF Guide solutions provide economy by reducing overlaps
- MF Section and Rate Control allows you to adjust the application rate on the go, whilst automatically minimising overlap, skips and wasted product
- MF TaskDoc creates and sends securely detailed records of jobs to the office and preferred partners through the secured Agrirouter cloud
- MF Connect telemetry enables remote and near real time monitoring and decision making, improving efficiency and maximising

### Ability to work faster with the most

- ▶ Up to five spool valves to the rear and three to the front, including front linkage, and Power Beyond installation, plus a high lift capacity
- ▶ The hydraulic system offers the ability to work faster with the widest implements while increasing versatility.

## **VIRTUAL REALITY**



## USE YOUR SMART PHONE TO STEP INSIDE THE MF 8S



◀ STEP 1

Use a QR code reader app. Download it for free from iTunes or the Android Play store.



■ STEP 2

Open the app and scan this QR



◀ STEP 3

...and step inside your Massey Ferguson tractor.

Live the experience in 2D, moving your smartphone around in all directions or using your fingers.



◀ STEP 4

Live the full VR 3D Experience by clicking on the dedicated icon and use in combination with a pair of VR glasses.



## THE CAB THE NEW ERA of Comfort, Visibility and Controls

From the origins of modern tractor design, the Massey Ferguson cab has been renowned for excellence. With the MF Protect-U design, the MF 8S moves that legacy a step forward. It's something we work hard for, so you can sit and reap the benefits when days go on and on, in a very productive environment that blends space, comfort, visibility, quietness, ease of use, connectivity and quality. Because we know that a more productive operator is an operator who creates profit for his business.



Space for you and a passenger

VISIBILITY

6.6

ASS SUBFAC

6

Quiet cab reduces stress and fatigue

and tilted windscreen providing safety, ease of operation and control on the job in hand

## MADE FOR CONTRACTORS We need our operators to be really alert and comfortable during the long working days. A TRACTOR SHOULD NOT ONLY MAKE ITS DRIVERS COMFORTABLE BUT ALSO PROUD. A driver who takes pride in his job is also more productive and creates profit. If you are a contractor or running a large farm with drivers, the MF 8S is a tractor which they will be proud to drive. The immersive, connected and comfortable operator's environment consists of elegant, quality materials and finishes. The MF 8S cab has been carefully studied and designed with one objective in mind - enhanced driver functionality, for a truly unique farming experience.

## MADE FOR **COMFORT**

SOMETIMES IT'S THE SMALL DETAILS THAT CAN MAKE A HUGE CHANGE TO YOUR WORKLOAD.

#### EASY AND SECURE ACCESS.

Large wide door, steps, rails and tiltable steering column provide best-in-class accessibility to the cab.

digital dashboard can be









ALWAYS CONNECTED - Two USB ports and adjustable phone and tablet holder available through MF By You.

Access radio or your phone's functions through the Datatronic 5.

## BUILT FOR COMFORT, SAFETY AND

## **EFFICIENCY**

SUN SHADE. Up to four sun blinds, along with the tilted front windscreen and the large roof, provide shade for total protection



## CLEAN SCREENS

Unique MF Protect-U cab wiper design covers 72% of the windscreen. A lateral wiper option cleans the side screen.





Up to 16 LED lights - 4 on the bonnet plus up to 12 on the cab help keep you working safely after dark. Comfort light delay provides time for you to leave safely before turning off.







CAB SUSPENSION Standard active mechanical cab suspension protects operators and machines. The adjustable system uses silent block bushes and springassisted shock absorbers.

LED LIGHTS

#### FRESH AIR

EFFICIENT AUTOMATIC AIR-CONDITIONING provides perfect air distribution through 14 automotive-style outlets located all around the operator...



..with automatic management via the Datatronic 5 terminal..



...along with easily accessible armre



Keep food and drink fresh all day with the cool box located under the passenger or upgrade to an actual refrigerator from MF By You.



## **NOW PLEASE TAKE YOUR SEAT AND ENJOY**

best-in class seat depending providing outstanding comfort.



#### **BASE MODEL**

Air suspended swivel seat

#### **EFFICIENT VERSION**

Automatic air suspended swivel seat, heated, lateral damping and dual motion backrest

#### **EXCLUSIVE VERSION**

Semi leather automatic air suspended swivel seat, ventilated, 2 levels of heating, lateral damping and dual motion backrest, with Dynamic Damping System



## MADE FOR **COMFORT**

Efficient is the medium specification package for the MF 8S Series, designed to help you work smarter and get better results.

Dedicated to delivering increased productivity thanks to its key features, the Efficient package enables you to work faster, to a higher standard, with more accuracy, together with high levels of comfort, ergonomics and reliability. Stay in control of the most technologically advanced and demanding implements to take advantage of their increased productivity.



	<b>IT VERSION</b> EQUIPMENT TO HEIGHTEN YOUR EFFICIENCY	C	acrease or ecrease speed	Optional Datatronic 5			C. C. L.	
	COMFORT & SAFETY	EFFICIENCY	CONNECTIVITY					
STANDARD	QuadLink front axle suspension	40 km/h Dyna-7 or Dyna E-Power AutoDrive	MF Connect telemetry with 5 years subscription		+ 1			
	Mechanical cab suspension	Transmission			E CONTRACTOR OF THE CONTRACTOR			
	Air Conditioning with manual adjustment	All controls in the ergonomic armrest with						
	Automatic air suspended swivel seat,	Multipad lever				1		
	heated, lateral damping	Closed Centre 150 I/min hydraulics						
	Radio Bluetooth/USB connector with integrated microphone - Controls in armrest	Electrical and mechanical spool valves						
	wan integrated inicrophone - Controls in alliliest				Ci a C			
ON	Mechanical active cab suspension	50km/h Eco Dyna-7 or Dyna E-Power Transmission	Datatronic 5 touchscreen terminal 9" (with tractor	Multipad Lever				
	Automatic Air Conditioning	Closed Centre 205 I/min or 205I/min ECO hydraulics	settings management & ISOBUS integrated, and in		A S P TEE SEP	5000		
	16 LED working Lights	4,800kg Cat 3 front linkage	option, radio & phone interface, MF E-Loader, camera			38		A STATE OF THE STA
	Rear Camera	1000rpm front PTO	& MF Guide compatible)		Ca 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	Mirrors with electric de-icing and adjustment		Fieldstar 5 terminal			\$ 31 \tag{4}		PTO Speed
	Semi leather automatic air suspended swivel seat,		ISOBUS		41	( 200 )		
	ventilated, 2 levels of heating, lateral damping and dual		MF Guide system with Advanced Guidelines			2		Linkage controls
	motion backrest, with Dynamic Damping System		MF Section & Rate Control	Driving Mode ⊢		101	DIC	) angagamant
	Radio Bluetooth /USB connector/DAB+		MF Task Doc Pro				→ PIC	) engagement
	with integrated microphone- Controls in armrest		MF Next Management FMIS					
			MF Task Doc recording all jobs' data				Linkage Depth a	adjustment
					OF DE		Phone & Radio Control	
							\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
							Traction Control	
							Iraction Control	
						Hand 1	Throttle	
						Titalia I		

A Lift front linkage or rear valve control +

B Lower front linkage or rear valve control -

C Front or rear valve control +

D Front or rear valve control -

Lights and Air Conditioning controls ⊢

Two mechanical spool valves ⊢

## MADE FOR **COMFORT**

Exclusive is a combination of high-spec versatility and refinement dedicated to operators looking for a tractor with advanced features and functions in terms of ergonomics, comfort, automation, Smart Farming capacities and full connectivity.

This version is aimed at more intensive, large scale operators looking for more advanced features that will ensure cost-effective benefits for their business. The Exclusive armrest comes with numerous benefits including comfort and convenience when operating multiple, frequently-used controls.

Exclusive also adds the Datatronic 5 as standard. Use the 9" touchscreen terminal to manage tractor functions, ISOBUS capability to simplify implement operations and use of MF Smart Farming solutions for Agriculture 4.0.

Using the Exclusive package, operate the most technologically advanced and demanding implements with the optimum efficiency to take advantage of their increased productivity.



Customizable Functions

→ Proportional spool valve control

→ Fourth hydraulic function

A Lift front linkage or rear valve control + B Lower front linkage or rear valve control - Datatronic 5

9" terminal


C Front or rear valve control +

D Front or rear valve control -

#### **EXCLUSIVE VERSION**

THE ULTIMATE EXPRESSION OF PRODUCTIVITY AND INNOVATION

	COMFORT & SAFETY	EFFICIENCY	CONNECTIVITY
STANDARD	QuadLink front axle suspension	40 km/h Dyna-VT, 40km/hr Eco, Dyna-7 or	Datatronic 5 touchscreen terminal 9" (With Tractor
	Mechanical active cab suspension	Dyna E-Power AutoDrive Transmission*	settings management & ISOBUS integrated, camera &
	Automatic Air Conditioning	All controls in the ergonomic armrest with Multipad lever	MF Guide compatible)
	16 LED working Lights	Closed Centre 150 I/min hydraulics	Trimble submetric receiver
	Rear Camera	4 electrical spool valves with electrical joystick and	MF Connect telemetry with 5 years subscription
	Mirrors with electric de-icing and adjustment	fingertips	MF Task Doc recording all jobs' data
	Semi leather automatic air suspended swivel seat,		ISOBUS
	ventilated, 2 levels of heating, lateral damping and dual		
	motion backrest, with Dynamic Damping System		
	DAB Radio, Bluetooth, with integrated		
	microphone		
	LED Beacons		
OPTION		50Km/h Eco Dyna-7, Dyna E-Power or	Novatel receiver system with Advanced Guidelines
		Dyna-VT 50km/hr Eco*	MF Section & Rate Control
		Closed Centre 205 I/min or 205I/min ECO hydraulics	MF Task Doc Pro
		4,800 kg Cat 3 front linkage	MF Next Management FMIS
		1,000 rpm front PTO	Fieldstar 5 terminal
		Up to 8 electrical spool valves fully configurable and	Radio & Phone interface, MF E-Loader management via
Depending on I	ocal regulation	customizable on the Exclusive armrest	the Datatronic 5 touchscreen terminal 9"
Depending on I	ocal regulation		



→ Hand Throttle

→ Traction Control

PTO engagement -

**DATATRONIC 5** 



OK


#

99 %

The new MF E-Loader auto-control function helps to increase loading accuracy, productivity and safety. It enables operators to weigh individual fork or bucket loads. It also records the total weights of each item, load or job and these can be transferred as a simple spreadsheet. Operators can set-up and save automatic sequences for different loading cycles. MF E-Loader also provides a useful bucket shake facility.



Full tractor functions management and optimisation features such as transmission, engine and hydraulics. Moreover there is the remarkable Dual Control system providing excellent control of semi-mounted ploughs by automating the furrow entry and exit. At the same time the system adjusts the plough's depth wheel in relation to the rear linkage.



Video Mode – Pictures from the on-board camera can ⇒ 23.00.2000 / be displayed on the console screen, allowing operators to monitor complex implements or simply improve safety and efficiency when reversing.



ISOBUS for total implement control - ISOBUS allows an implement manufacturer's control

Access to radio functions via Datatronic 5:

the same as you would in a car, simply connect

devices via Bluetooth. USB or aux control with

the option of synchronising more than one

and make calls and other functions.

smartphone. Memorise radio stations, receive

system to be displayed on the terminal screen. saving owners and operators time and money with no need to install additional monitors in the cab. Simply plug the implement lead into the tractor's ISOBUS socket and the system automatically uploads the operating menus and displays on the screen.

ISOBUS implements can be controlled directly using the MultiPad lever. Having all controls (tractor and

ISOBUS MultiPad switch assignment -

implement) on the same lever is a lot more convenient than using additional displays and levers.



**Headland management settings** – The Datatronic 5 comes as standard with the most intuitive, straightforward and easy to use automatic headland management system available in the market. It is designed to save you significant time at headlands. allowing you to concentrate on the operation in hand so that you can maximise outputs with ease.



Memorise data and settings - Unlimited number of user settings configurations enable the system to record information during operation on area worked, fuel use. hours worked and much more. All the settings and parameters can be stored by the Datatronic terminal. All these settings can be stored and recalled to find the previous setting that was used on a tractor.



facilities.

## **MF**guide

## MADE TO KEEP YOU **ON TRACK**

MF Guide is Massey Ferguson's full featured, hands-free steering system. MF Guide is capable of delivering sub-metre, decimetre and centimetre accuracy, increasing the efficiency of your farming operations.

## CHOICE OF **RECEIVERS &** CORRECTION SIGNALS



Should you lose your signal due to the terrain MF Guide continues to work eliably up to 20 minutes without a correction signal thanks to Trimble®-xFill™

EASY, FAST SET-UP WITH

time users. This allows the operator to begin working with auto-guidance/steering for the first time in three easy steps...



. IMPLEMENT..





available: NovAtel® and Trimble®, Existing Trimble® RTK infrastructures on the farm, such as NTRIP, can continue to be used. Talk to you local Massey Ferguson Dealer or Distributor to



L 2cm: Novatel/Trimble RTK

└─ 4-15cm: Novatel/Trimble optional correction signals

└── 15-30cm: Novatel/Trimble Standard











Guidance systems are proven to save up to 12% fuel in field operations.

MF Guide virtually eliminates overlaps.

Using MF Guide helps you save money by reducing overlaps, precision application and increasing efficiently through your working day. efficiency.

Using MF Guide helps to reduce fatigue and stress by guiding you



## MF TASK DOC & AGRIROUTER: NEXT MACHINE

## **NEXT MACHINE MANAGEMENT**

## mftask doc

Information is power, with accurate data measurement and recording enabling more precision in decision making. The new TaskDoc™ system has a place in the future of agriculture, helping farmers to become more productive through the knowledge brought by putting precision-measured data at the business owner's fingertips.

With **TaskDoc<sup>TM</sup>** all jobs' data can be recorded with a minimum of effort, documented in the field record and then analysed, all in the shortest amount of time. The data is transferred vis USB Stick from the Datatronic 5 terminal to the office using the ISOBUS standard TC-BAS. Data on the quantity of seeds and fertiliser applied or the fuel consumption is available immediately after the work is done.

The TaskDoc<sup>TM</sup> Pro version, also enables recording of the GPS position data and data transfer in real-time via mobile through the secured AgriRouter Cloud service. This makes automatic, seamless exchange with ISOXML-capable field management software and mapping possible including in MF Next Management FMIS. The data for the operating inputs that have been used are transferred and can also be monitored through the Datatronic 5 terminal while working.





## **AGRIROUTER**



This universal data exchange platform lets you connect machinery and your Farm Management Information System (FMIS), regardless of vendor or manufacturer. You can also determine who to exchange data with, and to what extent. Agrirouter is your ticket to the digitalization of agriculture, enabling you to retain control of your data.






## MADE FOR **PERFORMANCE**


Power for the MF 8S is delivered by the dependable six cylinder, 7.4 litre AGCO Power engine. This employs a simplified system incorporating the renowned All-In-One technology to comply with the strict Stage V emissions regulations.





EPM available on the full range (not only at Max power)

Constant power between Max power rpm & Max torque rpm



LOW MAINTENANCE COSTS

### NO COMPROMISE

The All-in-One de-pollution system is packed up neatly under the cab contributing to keep visibility





+8% POWER ►

with Engine Power Management



Productivity


FUEL SAVING Fuel Savings by lower engine revs

by lower engine revs

Automatic low idle system cuts engine revs to save fuel and reduce noise

EPM OFFERS UP TO 20HP MORE WHEN IT IS MOST NEEDED.

This means your MF 8S<sup>†</sup> responds automatically to the load imposed on it, and adjusts fuelling accordingly to give you extra power. Designed to tackle tough transport and PTO work challenges, advanced electronic engine and transmission management makes more power automatically available under load or at speed.



<sup>†</sup> N/A for MF 8S.305

## HIGH EFFICIENCY **TRANSMISSIONS**

WHEN IT COMES TO DRIVE POWER, WE'VE REALLY SHIFTED UP A GEAR AT THE SPEED OF MIND

The MF 8S is available with the choice of three automated transmissions offering the most advanced technology in its category, best-in-class ease of use, smooth shifting, efficiency delivering straight power to the ground. Speed shifting is fully automatic and as quick as the speed of mind.

DYNA-7, DYNA E-POWER AND DYNA-VT ARE THE BEST CHOICE OF TRANSMISSIONS EVER.

Easy to use. Smart to operate. Efficient and comfortable.



## POWER CONTROL LEVER

Exclusive, Simple, the unique Massey Ferguson Power Control lever provides straightforward threein-one operation.



#### YOU CAN:

- shuttle between forward 1/reverse
- shift speeds and ranges: up and down de-clutch
- select neutral

LEAVING YOUR RIGHT HAND FREE TO OPERATE A LOADER OR ANY IMPLEMENT HYDRAULICS.

## **DYNA E-POWER**

A New Era of Dual Clutch transmission technology.

At the heart of the 4-range, 7-powershift Dyna E-Power transmission is the **Dual-Clutch**, similar to the technology you are used to in your fully automatic car.


EFFICIENT POWER.
NO TORQUE
INTERRUPTION.

Dyna E-Power is the **Dual-Clutch transmission** designed by Massey Ferguson
for the MF 8S range. With Dyna E-Power we
have developed a system of **power transfer to the ground** that surpasses all others for **ease of use** and **precision** with the efficiency
of a semi-powershift transmission.



Operating fully automatically or manually using the MultiPad or the Power Control lever, it is also possible to adjust how aggressively and quickly fully automatic changes are made to match work and conditions.

#### DYNA E-POWER TRANSMISSION



SMOOTH TRANSITION THROUGH ALL THE GEARS: Flat shape on the first half of the curve for more precision in the field.

Steeper curve on the second half to achieve top speed faster.

#### DYNA E-POWER BENEFITS AT . GLANCE

- Highly efficient Dual-Clutch technology like in a wide range of automatic cars
- Transmits power from the engine to the ground efficiently and productively
- Prevent loss of power with no torque interruption on the full range of use
- Instantaneous gear/range change means uninterrupted power transfer to the ground
- Gears change seamlessly, smoothly and efficiently, with only a 9% difference between each speed in field work applications from 5km/h to 20km/h
- ▶ 15 speeds in the field working range




28x28


## DYNA-7 TRANSMISSION

Made for power efficiency.


Transmission technology.

DYNAMIC
PERFORMANCE
COMES AS STANDARD





DYNA-7 TRANSMISSION



Dyna-7 combines effortless operation with complete efficiency to create an extraordinary operator's experience.
Dyna-7, uniquely, provides a smooth,
7-speed Dynashift change in each of
4-ranges, giving a tremendous range

Dyna-7 comes with Eco as standard

4-ranges, giving a tremendous range of powershift flexibility over a wide speed range, giving maximum field performance. Both Dynashift and range changes are made under load, without the need to use the clutch pedal.

#### DYNA-7 RENEFITS AT A GLANCI

- ▶ 12 speeds in the Field Working Range
- 40 Km/h or 50 Km/h maximum speed available\* at low engine speed (Eco)
- ► Eco feature allows top speeds to be achieved at low engine revs (Maximum 53 km/h @ 1,650 rpm), offering a reduction in noise and fuel consumption
- ► Cruise control speeds (C1/C2)
- ► Brake pedal puts transmission in neutral
- Reverse shuttle aggressiveness adjustment, separate adjustment for forward and reverse
- Aggressiveness adjustment for Dynashift ratios
  - \* Depending on market legislation



28x28



power loss Vs Dyna-6

THE SMOOTHEST POWER DELIVERY, THE ULTIMATE IN PRODUCTIVITY.

With the continuously-variable Dyna-VT transmission, we have developed a system of power transfer that surpasses all others for ease of use and precision.

It's intuitive to the operator, the easiest of transmissions to understand and get the most from, and new operators will quickly settle into feeling at one with the machine.

- > Stepless transmission brings complete operator comfort and optimum fuel efficiency at all
- ► Simple, infinite speed control, from 0.03 speeds to 40 km/h or 50 km/h\* available with 40 km/h super Eco or 50 km/h\* Eco
- ► The choice of two speed ranges optimises torque for different applications
- ▶ Lever, pedal control means operator can choose his preferred mode
- 'Supervisor' maximises output under varying loads
- New Automatic mode enables operators to adjust forward speed, while automatically regulating engine speed according to load and speed
- ▶ Shuttle and Pedal aggressivenes adjustement with Brake pedal to neutral feature



Speeds from 0.03 km/h to 40 km/h or 50 km/h\*




Stepless transmission.

\* depending on market regulation

### ULTIMATE COMFORT.


## **STEPLESS** TRANSMISSION.



The 'Automatic mode' is on continuous stand-by and activates when engine speed falls under load. The benefit of the 'Supervisor' is that even when the load on the engine is increased and engine speed drops, the transmission will automatically reduce forward speed to maintain total power, whether in PTO applications, field work or transportation. When used in conjunction with C1 and C2, which set a specified forward speed, the tractor will then operate at maximum output as load fluctuates as well as automatically adjusting the tractor back to the required speed.


The original Dyna-VT transmission is a true testament to precision engineering; guaranteed productivity, complete operator comfort and optimum fuel efficiency at all times.

#### AUTOMATIC MODE



The highly-regarded Dyna-VT continuously variable transmission now has a new automatic mode. This allows operators use the Multipad lever or foot pedal to alter forward speed, while automatically setting the optimum engine optimises performance, saves fuel and reduces speed according to the load and speed. As noise. well as delivering smoother operation, it also improves fuel efficiency.

As the load (red line) changes according to varying conditions, the Dyna-VT automatically responds by adjusting the engine speed (grey line) to maintain the set forward speed. This





#### STEPLESS TRANSMISSION

Dyna-VT is amazingly simple to operate and works extremely well in differing conditions There's no shifting of gears, no jolts and no breaks in traction or power.

> Simple, infinite speed control, from creeper speeds to 50 km/h\* Depending on market legislation\*

## MADE FOR VERSATILITY & TRACTION

Tractor power means nothing if it cannot be transferred to where it matters: the ground

With a minimum weight of just 8.7 t, the MF 8S Series tractors are lighter than others in this class. This allows them to tread lightly for top work and transport, while the strong design also enables them to carry heavy loads or be ballasted up for draft operations.

A wide range of ballast and tyre choices, including a large rear wheel diameter of 2.05m, ensures that MF 8S tractors can be tailored precisely to the tasks that are expected of them, for maximum traction with the maximum soil preservation, whilst using the minimum of fuel.

That is part of our commitment to help protect the soil and preserve the land for future generations.

PERFECT WHEELBASE
FOR THE PERFECT
POWER AND SOIL
PRESERVATION.

Wheelbase length is 3.05m offering improved stability with or without a heavy implement, maintaining high levels of traction in the field and increased comfort in transport.

The combination of the wheelbase and the MF 8S chassis design means that less ballasting weight is needed, ensuring maximum soil preservation and reduced ground pressure during cultivation, drilling and seeding

3.05m

Our land is heavy clay so minimising soil compaction is extremely important.

MASSEY FERGUSON

BALLASTING FOR FLEXIBILITY

To deal with intensive traction work or counter ballast (front or rear), sometimes you need extra weight, so a wide choice of ballasts is available. The MF 8S is available from factory with additional front and rear weights to exactly match your needs.

**■ QUADLINK FRONT AXLE SUSPENSION** 

Improved comfort and safety for transport applications and greater traction is delivered by a new and innovative front suspension option. The simple design produces superior ride comfort, turning angle and offers the full angle of oscillation as well as maximising ground clearance. Completely maintenance-

▼ SPEEDSTEER reduces operator effort and provides faster turns - maximising your time in the cab.

It enables the operator to adjust the steering ratio and select the number of turns of the steering wheel required for a given amount of steering angle turns.



MANOEUVRABILITY

turning radius\*

Improved manoeuvrability for loader operation, in the farm yard and when turning at the headland.

The curved design of the chassis and bonnet ensures ONE OF THE BEST TURNING CIRCLES ON THE MARKET.

\*Track 1950mm with 600/70R30 front tyres







#### The new TM1000 ProgressiveTraction®,

engineered according to the VF standards, is an innovative product which:

- provides superior flotation
- places less stress on the soil
- provides superior traction
- guarantees lower fuel consumption and emissions
- provides excellent handling and comfort
- has an extended lifetime

## SELECTING THE CORRECT BALLASTS & TYRES: RENEFITS AT A GLANCE

- More power to the ground
- Ultimate traction capabilities
- Limited soil compaction to boost yields whilst maintaining soil health for the next generation
- Improved fuel economy




+13%

Footprint for lowest soil compaction\*

3% Fuel savings\*

\*Compared to standard tyres






OUTSTANDING OPERATION AND PERFORMANCE TO TACKLE ANY TASK AND UNLOCK ANY FIELD

Modern implements are placing more and more demands upon the tractors that power them, which are asked to perform faster and respond better. The MF 8S comes with immense capabilities to easily handle heavy-duty applications with outstanding lift and drive capacities for the very latest implements. The MF 8S is a tractor which is powerful, full of torque and nimble capabilities. Perfect if you are looking for a machine with unbeatable power take off, for outstanding operation and performance when working with the most advanced implements.







## MADE FOR HARD WORK

UP TO 205 I/min ECO

Hydraulic efficiency is key for the overall performance of the tractor. MF 8S comes as standard with 150 l/min Closed Centre Load Sensing hydraulics with the option of 205 l/min and 205 l/min ECO offering the highest flow at low engine revs to save fuel.



Up to

2

front spool valves and free return.



Up to

4,800 kg

lift capacity. Heavy duty Integrated Front Linkage System (IFLS) is available as an option and is designed to match the front suspension.



## ISOBUS

socket connects compatible implements.



## 1,000 RPM

front PTO is available.

Combined with the front linkage allows a wide range of additional implements to be powered: reducing passes and improving efficiency.

Benefit from real time savings — more than doubling output when mowing grass.



### 4 PTO

speeds as standard on Dyna E-Power and Dyna-7 transmissions: 540/540 Eco & 1000/1000 Eco. 2 PTO speeds as standard on the Dyna-VT: 540 Eco /1000. Optional 1000/1000 Eco. Speeds are achieved at low engine rpm, further improving fuel economy and helping to reduce in-cab noise levels.



Up to

## 10,000 kg

lift capacity from heavy duty rear linkage with Ultimate Draft Control. MF's digital ELC system gives the highest standards of draft control with more accurate depth settings and better ground contour following. The result is more weight transfer, better traction, less wheelslip, reduced tyre wear and reduced fuel consumption whilst still maintaining greater output.



BUILT INTO THE CCLS SPOOL BLOCK IS A POWER

BEYOND FACILITY that via additional flow and return pipes provides oil flow directly from the pump, enabling additional remote spool valves to be connected.





лр 10 Г

5

rear spool valves and free return with decompression lever



## MFCONNect SMART FARMING, SYNCHRONIZED.



CONNECTED ANYWHERE. ANY TIME.

STANDARD WITH 5 YEARS SUBSCRIPTION.

## **MF**Care

#### Fix your costs and guarantee optimum performance for your MF 8S with MF Care.

MF Care Service and extended warranty contracts are flexible to suit your payment and operating hours requirements Regular servicing provides preventive maintenance – picking up any faults before they become a problem, which helps reduce downtime. A full dealer service history using genuine AGCO Parts will also increase the residual value of the

- ► Support maximum residual value of your tractor
- ► Flexible terms and long-term price packages
- ▶ Available up to 12 months from registration
- ▶ Experienced MF technicians available for on or off-site servicing

#### GREATER UP-TIME, OPTIMISED MAINTENANCE AND SMARTER SERVICES WITH MF CONNECT.

#### OWNER, DEALER AND TRACTOR ARE 100% CONNECTED!

MF Connect is a fleet monitoring system, that allows customers to keep a close eye on their Massey Ferguson machines.

Viewing machinery operations and equipment operating parameters in virtually real time on their mobile phone, tablet or desktop computer has never been easier.

This enables owners and managers to manage operations more effectively, helping to improve operating efficiency with remote diagnostics, ensuring optimum uptime.

	SILVER	GOLD
DETAILS	REGULAR MAINTENANCE CONTRACTS The Service Package includes all prescribed maintenance work on the basis of fixed prices.	EXTENDED WARRANTY Offers security against repair costs (except wear). Tariffs with or without excess available as an option.
MACHINE TYPE	All	All
G	-	Benefit from lower prices when your machine** operates with MF Connect
REGULAR MAINTENANCE*	·	·
REPAIR COST	-	·
DEDUCTIBLE	-	Option: €0, €190, €490
*The list price stated by A	GCO refers solely to the extended	warranty and doesn't include

#### MASSEY FERGUSON OFFERS A COMPREHENSIVE AND EFFICIENT RANGE OF SERVICES

















As you are unstoppable, MF Always Running - your courtesy fleet\* - provides you with a temporary replacement tractor, telehandler or round baler to ensure you can continue working with minimum interruption while your machine is being serviced or repaired.

MF Always Running ensures the need for maintenance or repairs won't stop your operations. As an MF Farmer, you will be quickly back up and running with a replacement machine, one of the latest models equipped to the specifications you need to get the job done.

\*Please contact your local Massey Ferguson Dealer to check availability in your area. Terms and conditions apply. Available in France, United Kingdom, Germany, Italy, Poland, Norway and



<sup>\*\*</sup>Valid only for specific models. - Not available

time you turn the key.

### I want daily PARTS & maintenance to be quick and easy so I can **SERVICE** spend more time with my family. IT'S ALL ABOUT A LIFETIME OF **SUPPORT** Buying, owning and maintaining farm machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business. There's no cut-off time for Parts and Service because a machine may be out of service. We're available to you throughout your ownership of your Massey Ferguson machine. We take great pride and responsibility in every machine we sell and we make it our mission to keep your machinery running reliably, every

#### THE MF 8S HAS BEEN DESIGNED TO PROVIDE FAST, STRAIGHTFORWARD, EASY AND COST-EFFECTIVE ROUTINE MAINTENANCE.

We have combined practicality with style to ensure daily maintenance is speedy, straightforward and simple, taking the stress out of maintaining your tractor, getting you to the field earlier for greater productivity and giving you some free time. With a Massey Ferguson MF 8S Series tractor, time spent in the yard preparing for the day ahead is kept to a minimum.



Engine air filter is easy to access and clean.

Today's farming demands machinery that is optimised to your business. Designed to tailor your Massey Ferguson machine to your needs, we offer a wide range of options and accessories - from loaders, weights, extra spool valves and hydraulic flowrates all the way through to autoguidance technology. For your ultimate comfort there are seat upgrades, sound systems, drinks coolers and much

**OPTIONS & ACCESSORIES** 

Everything we offer has been scrutinised by our engineers from all perspectives – optimum compatibility with your machine, safety, durability and performance. You'll get expert service from your Massey Ferguson dealer who has all the necessary installation tools and knowledge at their fingertips.




Easy access to remove the cab air filter for cleaning.



Front axle and slim waist bonnet design make oil dipstick and filter access easy.



Cooling package is easily accessible to make cleaning faster



Filling your fuel and AdBlue® tanks has never been easier.

# PARTS & SERVICE ALWAYS BY YOUR SIDE TO INCREASE YOUR PROFITS AND

EVERYTHING YOU NEED TO SUPPORT THE OPERATION OF YOUR MF 8S TRACTOR.

Accessible and adaptable, our aftersales support will help you control running costs, budgeting and business planning - ensuring each machine's operating hour is a success and giving you the freedom to focus fully on the core business of farming.

This comprehensive suite of service-related-products makes it easier than ever to own and operate

Massey Ferguson farm equipment.

**EFFICIENCY** 





 $\nabla$ 

Represents the best farm machinery expertise in your area. You can always rely on your dealer to provide you with excellent customer service. With highly skilled technicians delivering servicing, maintenance and repairs and knowledgeable parts and machinery sales staff available to advise on new equipment, technology upgrades, accessories or replacement parts.

MORE THAN 4,700 SERVICE & REPAIR POINTS WORLDWIDE





#### **GENUINE AGCO PARTS**

The best guarantee of safeguarding the value of your machine over time and protecting it from unplanned downtime. Choose from an extensive range of accessories to enable you to adapt your machine to new or evolving farming practices, to keep comfortable and to remain safe. In addition, your MF Dealer offers a wide variety of important farming products such as lubricants, batteries, AdBlue®, care kits, and much more.

AGCO Parts are covered by AGCO's 12 months warranty, including labour when fitted by a MF Dealer. Your Dealer can support you with the parts you need,

alternatively you can use the 'AGCO Parts Books to go' app.

Download from the App Store or from the Google Play Store. Your personal access data is available from your MF Dealer.







#### AGCO FINANCE

## YOUR PARTNER TO GROW YOUR BUSINESS.

As the financial services provider for Massey Ferguson, we help you obtain your MF equipment through our tailored finance solutions, enabling usage or ownership of the world's best agriculture equipment.

**Full Reliability**: 30+ years of agricultural industry experience around the globe.

**Full convenience**: Conveniently through your local MF Dealer.

**Full Partnership**: We are with you along the way, through your entire business cycle.



## MASSEY FERGUSON COLLECTION

NOW YOU CAN LOOK AS STYLISH AS YOUR MASSEY FERGUSON.

Looking for a cap to match your MF 8S... Or a stylish and durable overall to keep working? We have an exclusive range of high quality products to suit you, your farming activity, your family and your lifestyle.

To find out what we have available please login into our online Shop:

Shop.MasseyFerguson.Com

For the above support packages, country terms and conditions apply. Please note all packages may not be available in all markets.

Please check with your local MF Dealer/Distributor.

### MAKE THE MF 8S YOUR OWN AND AS INDIVIDUAL AS YOUR FARM







	EFFICIENT	EXCLUSIVE
ENGINE		
6-cylinder AGCO POWER Stage 5	•	•
Engine with memorised speed control	•	•
HLA (Hydraulic Lash Adjustment)	•	•
Extra idle engine speed (750 rpm)	•	•
Engine Block Heater	0	0
TRANSMISSION		
Power Control shuttle	•	•
Right hand shuttle	•	•
A Multipad on Armrest	•	•
Dyna-VT 40 km/h Super Eco	-	•
Dyna-VT 50km/h Eco	-	0
Dyna-7 - 40Km/h Super Eco - Speedmatching & Autodrive	•	•
Dyna-7 - 50Km/h Eco* - Speedmatching & Autodrive	0	0
Dyna E-Power - 40Km/h Super Eco - Speedmatching & Autodrive	•	•
Dyna E-Power - 50Km/h Eco* - Speedmatching & Autodrive	0	0
Creeper (Dyna-7)	0	0
4-speed cruise control	•	•
Dynamic Braking System	•	•
ParkLock	•	•
OPERATOR ENVIRONMENT		
Standard Air Conditioning with manual adjustment	•	-
Automatic Air Conditioning with multi-zone flow management	0	•
Roof hatch	•	•
Automatic Air Suspended Swivel Seat, heated, lateral damping	•	0
B Semi Leather Automatic Air Suspended Swivel Seat - heated, ventilated, lateral damping	-	•
Auxiliary Seat with Seatbelt	•	•
Mechanical cab suspension	•	0
Active mechanical cab suspension	0	•
Radio/Front Aux-in/Bluetooth/USB connector - with integrated microphone - Controls in armrest	•	•
Radio/Front Aux-in/Bluetooth/USB connector/DAB+ - with integrated microphone - Controls in armrest	0	0
Telescopic Wide Angle Mirrors with Electrical de-icing & Adjustment	0	•
Right hand side wash wipe	0	0
De-icing system on rear window	0	0
Adjustable Steering Column with Memory tilt	•	0
Adjustable Steering Column with Memory tilt & SpeedSteer	0	•
Radar and slip control	0	•
① Digital MF vDisplay	•	•
Datatronic 5 touchscreen terminal 9" (With Tractor settings management & ISOBUS integrated, and in option, radio & phone interface, MF E-Loader, camera ready & MF Guide compatible)	0	•
Fieldstar 5 touchscreen terminal 9" (ISOBUS, camera ready & MF Guide compatible)	0	0
Trailer steering axle management	0	•
Dual Control	0	•
Headland Management System	0	•



-	Not available
	Standard specification
_	0 11 1

O Optional Depending on market legislation

EXCLUSIVE	EFFICIENT	
		TECHNOLOGY
•	О	ISOBUS capability & rear connector
0	О	Front ISOBUS plug
•	0	MF Guide Ready
0	0	MF Guide Novatel SM / CM NTRIP / CM Radio & NTRIP with Go Mode
•	0	MF Guide Trimble SM / CM NTRIP / CM Radio & NTRIP with Go Mode
0	0	Section control (96 sections) and Variable Rate Control (5 Products)
0	0	Advanced Guidance line - single wayline and contour segments
•	0	• Integrated roof camera
0	0	TaskDoc Pro
•	•	Connect Telemetry with 5 year free subscription
		CHASSIS AND HYDRAULICS
-	0	Full mechanical controls of spool valves
-	•	Electrical and mechanical controls of spool valves
•	-	Electrical controls of spool valves with decompression lever
-	О	Efficient electrohydraulic Multifunction Joystick
0	-	Exclusive electrohydraulic Joystick
•	•	Micro joystick on Multipad
0	0	Loader subframe, electrical valve and joystick
0	О	Loader subframe & Hydraulic Kit SMS 3 <sup>rd</sup> Live
•	0	Free return
•	0	Power Beyond with couplers P/T/LS/D
0	0	Dyna-7 / Dyna E-Power - 110 I/min CCLS
•	•	Dyna-7 / Dyna E-Power — 150 I/min CCLS
0	0	Dyna-7 / Dyna E-Power — 205 I/min CCLS
•	-	Dyna-VT – 205 I/min CCLS
0	0	Dyna-7 / Dyna E-Power – 205 I/min CCLS ECO
0	-	Dyna-VT 205 I/min CCLS ECO
•	•	Electronic linkage controls with Active Transport Control
•	•	Auto PTO function
•	•	Electric PTO speed selection
•	•	Auto 4-Wheel-Drive and Auto DiffLock functions
•	•	Telescopic stabilisers
0	0	Automatic stabilisers
0	0	Hydraulic top link
0	0	Integrated front linkage system
0	0	Integrated Front PTO
		ELECTRICAL EQUIPMENT
•	•	Isolator Switch & Jump Start Post
•	•	External lift control on fenders
•	•	External PTO start/stop control on fender
•	•	External remote valve control on fender
•	0	<b>6</b> 16 LED worklights with signature lights
•	0	Automatic rear lights when reversing
•	0	LED beacons
		OTHER EQUIPMENT (SPECIFICATIONS MAY VARY BY MARKET)
•	•	Suspended front axle with locking
•	0	Pivoting front fenders
0	0	Dual line hydraulic trailer brakes with ABS socket
•	•	Pneumatic trailer brakes
0	0	Pneumatic and dual line hydraulic trailer brakes with ABS socket







### TECHNICAL SPECIFICATIONS

TEOTINO NE OF EOII TO MITONO							
Engine		MF 8S.205	MF 8S.225	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305
Engine Type				AGCO F	POWER		
No. of cylinders/no. of valves/Capacity	No./No./cm <sup>3</sup>			6 / 4 /	7,400		
Bore / Stroke	mm/mm			108/	/134		
Aspiration			-	Turbo with electrical wa	stegate and intercoole	r	
Injection type				Comm	on rail		
Fan type				Visco	tronic		
Maximum hp	SISO hp (kW)	205(151)	225(165)	245(180)	265(195)	285(210)	305(225)
Engine rpm at maximum hp	rpm			1,8	50		
Maximum torque 1,000–1,500 rpm	<b>⇔</b> Nm	950	1,000	1,100	1,200	1,260	1,280
Maximum power with EPM	hp (kW)	225(165)	245(180)	265(195)	285(210)	305(225)	-
Maximum torque with EPM 1,000-1,500 rpm	Nm	1,000	1,100	1,200	1,260	1,280	-
Max. power available @ PTO shaft (OECD, accuracy +/- 3%)	hp (kW)	186(137)	199(146)	216(159)	231(170)	249(183)	268(198)
Fuel tank capacity	litres			460 (500 w	th Dyna-VT)		
AdBlue® tank capacity	litres			4	3		
Service interval	hours			60	00		
Dyna-7 Transmission							
Number of gears	fwd/rev		28/	/28			-
Min. speed @ 1,500 rpm	km/h		1.	.8			-
No. of speeds with creeper	fwd/rev		56/	/56			-
Min. speed with creeper			190 m/h @	1,500 rpm			-
43 km/h SuperEco @ engine speed	rpm		1,3	350			-
53 km/h* Eco @ engine speed	rpm		1,6	550			-
Dyna E-Power Transmission							
Number of gears	fwd/rev		28/28 in	Autodrive			-
Min. speed @ 1,500 rpm	km/h		1.	.9			-
43 km/h SuperEco @ engine speed	rpm		1,3	800			-
53 km/h* Eco @ engine speed	rpm		1,6	600			-
Dyna-VT Transmission							
Number of gears	fwd/rev			Continuously vari	able transmission		
Field speed range	km/hr		Fo	orward: 0.03-28km/hr	- Reverse: 0.03-16km/	hr	
Road speed range	km/hr		For	ward: 0.03-50km/hr* -	Reverse: 0.03 to 38kr	m/hr	
40 km/h SuperEco @ engine speed	rpm			1,4	00		
50 km/h* Eco @ engine speed	rpm			1,5	50		

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

		MF 8S.205 MF 8S.22	MF 8S.245	MF 8S.265	MF 8S.285	MF 8S.305
Rear Linkage and Hydraulics			·			
Lower links type	CAT			Cat 3		
Maximum lift capacity, at link end	kg		1	0,000		
Standard hydraulic type & max flow	I/min	Closed Ce	ntre Load Sensing 150 I/mi	n (not available with Dyna	a-VT transmission)	
Hydraulic type & max flow - Option 1	I/min	Closed Centre Load Sensing 110 I/min (not available with Dyna-VT transmission)				
Hydraulic type & max flow - Option 2	I/min		Closed Centre Lo	oad Sensing 205 I/min		
Hydraulic type & max flow - Option 3	I/min	Closed C	entre Load Sensing 205 Ec	o @ 1,650 rpm / 270 l/n	nin @ 1,850 rpm	
Maximum pressure	Bars			200		
Maximum no. of rear spool valves		5				
Power Take-Off (Rear)						
Engine speed						
540Eco/1,000 (Dyna-VT only)	rpm		1,57	7 / 1,882		
1,000/1,000 Eco (Dyna-VT only)	rpm	1,882 / 1,605				
540/540Eco/1,000/1,000Eco (Dyna-7 & Dyna E-Power only)	rpm	1,867 / 1,499 / 1,903 / 1,528				
Shaft diameter	Inches	1 <sup>3</sup> / <sub>8</sub> " 6 & 21 splines				
Front linkage and Front Power Take-Off						
Maximum lift capacity, at link end	kg		4	4,800		
Maximum no. of front spool valves				2		
Engine speed at 1,000 front PTO speed	rpm			1,920		
Wheels and Tyres (Full range available. Please consult your Dealer)						
Front		VF 600/70 R30 - 600/65 R28 (stan - 710/55 R30	dard) VF	600/70 R30 - 600/70 F	R30 (standard) - 710/55	R30
Rear		VF 650/75 R42 - 650/75 R38 (stand - 900/50 R42	lard) VF	650/75 R42 - 650/85 F	R38 (standard) - 900/50	R42
Weights (May vary depending on configuration. Please consult your Dealer)						
Minimum weight / average weight / maximum weight	kg		8,700 / 1	0,000 / 13,700		
Maximum Gross vehicle weight*	kg		1	6,000		

Solution ISO 14396 - Not available \* Depending on market legislation

### **DIMENSIONS**

		Dyna 7	Dyna E-Power	Dyna-VT
A Wheelbase	m		3.05	
B Overall length from front linkage to rear linkage arms	mm		5,375	
C Height at centre of rear axle to the top of MF Connect antennas	mm	2	,390	2,410
D Total height	mm	3	,390	3,410





## MF BY YOU

### YOUR MF **YOUR NEEDS**

Massey Ferguson strives to deliver the right tractor that fits their needs products and services that satisfy the and wishes. needs of every customer. We also know that every farmer has different needs. This is why we have introduced MF By You, which offers a wide choice of factory-fitted equipment designed to enable tractor owners to increase productivity and comfort, boost performance and enhance operations.

The comprehensive scope offers a range of additions such as: leather seat, rims, tyres and much more, ensuring farmers can create exactly

the same rigorous quality standards set by the factory and are covered by the same MF warranty.







**MASSEY FERGUSON**